170467



217/782-0610

Arrow Gear Company Arrow Gear Company NPDES Permit No. IL0038016 Public Notice

September 30, 1988

Arrow Gear Company 2301 Curtiss Street Downers Grove, Illinois 60515

Gentlemen:

Please post the attached Public Notice for the subject discharge for a period of thirty days in a conspicuous place on your premises.

We have enclosed a copy of the draft NPDES permit on which this official Public Notice is based. If there are any questions, please contact Richard E. Pinneo at the indicated telephone number and address.

Thank you for your cooperation.

Very truly yours.

Timothy R. Kluge, F.E.

Manager, Industrial Unit, Permit Section

Division of Water Pollution Control

TRK:REP:jab/2568j/58-66

Attachments: Draft Permit, Public Notice/Fact Sheet

cc: Records Unit

Region II/with enclosures

NPOES Permit No. I Notice No. jab/s Date: Septembe

National Pollutant Discharge Elim Permit Progra

PUBLIC NOTICE/FAC

Proposed Reissued NPDES Permit to Disch

Public Notice/Fact Sheet Issued By:

Illinois EPA Division of Wat Permit Section 2200 Churchill P.O. Box 19276 Springfield, Il 217/782-0610 SULT CRIS - SAND DAY

AGRECO

Name and Address of Discharger:

Arrow Gear Company 2301 Curtiss Street Downers Grove, Illinois 60515 Arrow Gear Company 2301 Curtiss Street Downers Grove, Illinois 60S15 (DuPage County)

The Illinois Environmental Protection Agency (IEPA) has made a tentative determination to issue an NPDES permit to discharge into the waters of the state and has prepared a draft permit for the above named discharger.

Length of Permit: Name of Receiving Waters:

Classification of Receiving Waters:

Approximately 5 Years St. Joseph Creek Tributary to the East Branch of the DuPage River General Use

The following water quality and effluent standards and limitations were applied to the discharge:

Except as otherwise noted the effluent concentrations and load limitations were based on effluent and, if applicable, water quality limitations specified in Illinois Pollution Control Board (IPCB), Rules and Regulations, Subtitle C: Water Pollution.

The facility manufactures gears, shafts, and couplings for commercial, aircraft and government industries (SIC 3566). Plant operation results in an average discharge of .013 MGD of non-contact cooling water from outfall 001.

Flow will be monitored. The primary parameters to be monitored and limited are pH and temperature.

Application is made for the existing discharge which is located in DuPage County, Illinois.

Monitoring frequencies and reporting requirements were established by using the authority set forth in IPCB, Subtitle C: Water Pollution and/or using the authority provided in Section 402(a)(1) of the Clean Water Act.

The effluent limitations and special conditions, if applicable, are appended as a part of the draft permit.

Interested persons are invited to submit written comments on the draft permit to the IEPA at the above address. The NPDES permit and notice number(s) must appear on each comment page. Any interested person may submit a written request for a public hearing on the draft permit, stating his or her name and address, the nature of the issues proposed to be raised and the evidence proposed to be presented with regards to those issues.

The application, engineer's review notes including load limit calculations, Public Notice/Fact Sheet, draft permit, comments received, and other documents are available for inspection and may be copied at the IEPA between 9:30 a.m. and 3:30 p.m. Monday through Friday.

All comments on the draft permit and requests for hearing must be received by the IEPA not later than 30 days from the date of this publication. If written comments or requests indicate a significant degree of public interest in the draft permit, the permitting authority may, at its discretion, hold a public hearing. Public notice will be given 30 days before any public hearing. For further information call the Public Notice Clerk at 217/782-0610.

Pursuant to the waiver provisions authorized by 40 CFR 123.24, this proposed permit is within the class, type, and size for which the Regional Administrator, Region V, has waived his right to review, object, or comment on this proposed permit action.

NPDES Permit No. IL0038016

Illinois Environmental Protection Agency

Division of Water Pollution Control

2200 Churchill Road

P.O. Box 19276

Springfield, Illinois 62794-9276

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

Reissued (NPDES) Permit

Expiration Date: October 1, 1993

Issue Date: Effective Date:

Name and Address of Permittee:

Arrow Gear Company 2301 Curtiss Street Downers Grove, Illinois 60515

Discharge Number and Name:

001 non-contact cooling water

Facility Name and Address:

Arrow Gear Company 2301 Curtiss Street Downers Grove, Illinois 60515 (DuPage County)

PUBLIC

NOTICED

Receiving Waters

St. Joseph Creek Tributary to the East Branch of the DuPage River

In compliance with the provisions of the Illinois Environmental Protection Act, Subtitle C and/or Subtitle D Rules and Regulations of the Illinois Pollution Control Board, and the Clean Water Act, the above-named permittee is hereby authorized to discharge at the above location to the above-named receiving stream in accordance with the standard conditions and attachments herein.

Permittee is not authorized to discharge after the above expiration date. In order to receive authorization to discharge beyond the expiration date, the permittee shall submit the proper application as required by the Illinois Environmental Protection Agency (IEPA) not later than 180 days prior to the expiration date.

Thomas G. McSwiggin, P.E. Manager, Permit Section Division of Water Pollution Control

TGM:REP:jab/sp2638j

NPOES Permit No. IL0038016

Effluent Limitations and Monitoring

LOAD LIMITS

The day

DAILY

DAILY

DAILY

PARAMETER

LIMITS mg/1

30 DAY

DAILY

SAMPLE

SAMPLE

SAMPLE

SAMPLE

SAMPLE

SAMPLE

SAMPLE

TYPE

1. From the effective date of this permit until October 1, 1993, the effluent of the following discharge(s) shall be monitored and limited at all times as follows:

Outfall: 001*

Flow (MGD) 1/Month Instantaneous

pH See Special Condition 1 1/Month Grab

Temperature See Special Condition 2 1/Month Grab

*See Special Condition 3

Special Conditions

- 1. The pH shall be in the range 6.0 to 9.0. The monthly minimum and monthly maximum values shall be reported on the DHR form.
- 2. Discharge of wastewater from this facility must not alone or in combination with other sources cause the receiving stream to violate the following thermal limitations at the edge of the mixing zone which is defined by Section 302.211, Illinois Administration Code, Title 35, Chapter 1, Subtitle C, as amended:
- A. Maximum temperature rise above natural temperature must not exceed 5°F (2.8°C).
- B. Water temperature at representative locations in the main river shall not exceed the maximum limits in the following table during more than one (1) percent of the hours in the 12-month period ending with any month. Moreover, at no time shall the water temperature at such locations exceed the maximum-limits in the following table by more than 3°F (1.7°C). (Main river temperatures are temperatures of those portions of the river essentially similar to and following the same thermal regime as the temperatures of the main flow of the river.)
- C. The monthly maximum value shall be reported on the DMR form.

	<u>Jan.</u>	<u>Feb.</u>	<u>Mar.</u>	Apr.	<u>May</u>	June	Jula	Aug.	Sept.	Oct.	Nov.	Dec.
°F	60	60	60	90	90	90	90	90	90	90	90	60
٥c	16	16	16	32	32	32	32	32	32	32	32	16

- 3. For the purpose of this permit, the discharge from Outfall 001 is limited to non-contact cooling water, free from process and other wastewater discharges. In the event that the permittee shall require the use of water treatment additives, the permittee must request a change in this permit in accordance with the Standard Conditions -- Attachment H.
- 4. The permittee shall record monitoring results on Discharge Monitoring Report forms using one such form for each discharge each month. The completed Discharge Monitoring Report form shall be submitted monthly to IEPA, no later than the 15th of the following month, unless otherwise specified by the Agency, to the following address:

Illinois Environmental Protection Agency Division of Water Pollution Control Compliance Assurance Section 2200 Churchill Road P.O. Box 19276 Springfield, Illinois 62794-9276

- 5. Samples taken in compliance with the effluent monitoring requirements shall be taken at a point representative of the discharge, but prior to entry into the receiving stream.
- 6. The permittee shall monitor and report concentrations (in mg/l) of the following listed parameters at 6 month intervals. The sample shall be a Grab sample and the results shall be submitted with the January and July Discharge Monitoring Report Forms to both IEPA and USEPA unless otherwise specified by the Agency. The parameters to be sampled are:

Copper Oil (hexane soluble or equivalent)

The reported concentration of parameters shall be at the same detection limits as established for accepted test procedures listed in 40 CFR 136.

If the permittee, after monitoring the above list twice, can demonstrate to the satisfaction of the Agency that there is no significant discharge of the designated parameters and that, in that time, the parameters have not exceeded the effluent limit set for said parameters, upon written request by the permittee, the Agency shall review the monitoring requirements and may, at their discretion, revise or waive these monitoring requirements by letter without public notice or opportunity for hearing.

Standard Conditions

Definitions

Act meens the Minois Environmental Protection Act, Ch. 111 1/2 III. Rev. Stat., Sec. 1001-1051 as Amended

Agency means the Minors Environmental Protection Agency

Beard means the Hinois Pollution Control Board

Clean Water Act (formerly referred to se the Fadersl Water Pollution Control Act) means Pub, L. 92-500, as amended 33 U.S.C. 1251 et seq.

NPDES Distional Pollutant Decharge Elimination System) means the network program for essuing, modifying, revoking and ressuing, terminating, monitoring and enforcing preseatment requirements, under Sections 307, 402, 318 and 405 of the Clean Water Act

USEPA means the United States Environmental Protection Agency

Delty Discharge means the discharge of a pollutant measured during a calendar day or any 24-hour period that reasonably represents the calendar day for purposes of sampling For pollutants with limitations expressed in units of meas, the "delty discharge" is calculated as the total mass of the pollutant discharged over the day. For pollutants with limitations expressed in other units of measurements, the "delty discharge" is calculated as the average measurement of the pollutant over the day.

Maximum Daily Discharge Limitation Idelly maximum) means the highest allowable daily discharge

Average Monthly Discharge Limitation (30 day average) means the highest allowable average of daily discharges over a calendar month, calculated as the sum of all daily discharges measured during a calendar month divided by the number of daily discharges measured during that month

Average Weakly Discharge Limitation (7 day average) means the highest allowable average of daily discharges over a calendar week, calculated as the sum of all daily discharges measured during a calendar week divided by the number of daily discharges measured during that week.

Best Management Practices (BMPs) means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of waters of the State BMPs also include treatment requirements, operating procedures, and practices to control plant site nunoff, spillage or leaks, sludge or waste disposals or drainage from raw material storage.

Aliquot means a sample of specified volume used to make up a total composite sample

Grab Sample means an individual sample of at least 100 milliliters collected at a randomly-selected time over a period not exceeding 15 minutes.

24 Hour Composite Sample means a combination of at least 8 sample aliquots of at least 100 millisters collected at periodic intervals during the operating hours of a facility over a 24-hour remoil.

8 Mour Composite Sample means a combination of at least 3 sample aliquots of at least 100 millillers, collected at periodic intervals during the operating hours of a facility over an 8-hour neighbor.

Flow Proportional Composite Sample means a combination of sample aliquots of at least 100 millisters collected at periodic intervals such that either the time interval between each aliquot or the volume of each aliquot is proportional to either the stream flow at the time of sampling or the total stream flow since the collection of the previous aliquot.

- Duty to comply. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Act and is grounds for enforcement action, permit termination, revocation and reissuance, modification, or for denial of a permit renewal application. The permittee shall comply with effluent standards or prohibitions established under Section 307(a) of the Clean Water Act for toxic pollutarits within the time provided in the regulations that establish these standards or prohibitions, even if the permit has not yet been modified to incorporate the requirement.
- 121 Duty to reapply. If the permittee wishes to continue an activity regulated by this permit after the expration date of this permit, the permittee must apply for and obtain a new permit if the permittee submits a proper application as required by the Agency no later than 180 days prior to the expiration date, this permit shall continue in full fonce and effect until the final Agency decision on the application has been made.
- (3) Need to helt or reduce activity not a defense it shall not be a detense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted act: , in order to maintain compliance with the conditions of this permit.
- (4) Duty to mitigate. The permittee shall take all reasonable steps to minimize or prevent any discharge in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment.
- (5) Proper operation and maintenance. The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control land related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit Proper operation and maintenance includes effective performance adequate lunding adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems unity when neveningly to achieve compliance with the conditions of the permit.

- (6) Permit actions. This permit may be modified, revoked and reseased, or terminate, for cause by the Agency pursuant to 40 CPR 122.62. The filing of a request by the permittee for a permit modification, revocation and reseasence, or termination, or a notification of planned changes or anscipated noncompliance, does not stay any permit condition.
- (7) Property rights. This permit does not convey any property rights of any sent, or any exclusive privilege.
- (8) Duty to provide information. The parmittee shall furnish to the Agency within a rescribble time, any information which the Agency may request to determine whether cause exists for modifying, revoluing and resetuing, or terminating this permit, or to determine compliance with the permit. The permittee shall else furnish to the Agency, upon request, copies of records required to be kept by this permit.
- (9) Inspection and entry. The permittee shall allow an authorised representative of the Agency, upon the presentation of credentials and other documents as may be required by law, to.
 - Enter upon the permutee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit.
 - b) Heve access to and copy, at reasonable times, any records that must be least under the conditions of this permit.
 - Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit, and
 - kd Sample or monstor at reseanable times, for the purpose of assuring permit compliance, or as otherwise authorized by the Act, any substances or parameters at any location.
- (10) Monitoring and records.
 - Semples and measurements taken for the purpose of monitoring shall be representative of the numbered activity.
 - b) The permittee shall retain records of all monitoring information, including all calibration and mentenance records, and all original step chert recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of all least 3 years from the date of this permit, measurement, report or application. This period may be extended by request of the Agency at any time.
 - (c) Records of monitoring information shall include:
 - (1) The date, exact place, and time of sampling or measurements
 - 2) The individual(s) who performed the sampling or measurements
 - (3) The date(s) analyses were performed;
 - (4) The individualis) who performed the analyses;
 - (5) The analytical techniques or methods used, and
 - (6) The results of such analyses.
 - (d) Monitoring must be conducted according to test procedures approved under 40 CFR Part 136, unless other test procedures have been specified in this permit. Where no test procedure under 40 CFR Part 136 has been approved, the permittee must submit to the Agency a test method for approval. The permittee shall calibrate and perform maintenance procedures on all monitoring and analytical instrumentation at intervals to ensure accuracy of measurements.
- (11) Signetory requirement. All applications, reports or information submitted to the Agency shall be signed and certified.
 - (a) Application All permit applications shall be signed as follows:
 - 111 For a corporation by a principal executive officer of at least the level of vice president or a person or position having overall responsibility for environmental matters for the corporation.
 - (2) For a pertnership or sole preprietership, by a general partner or the proprietor, respectively, or
 - (3) For a municipality, State, Federal, or ether public agency: by either a principal executive officer or ranking elected official.
 - (b) Reports. All reports required by permits, or other information requested by the Agency shall be signed by a person described in paragraph (a) or by a duly authorized representative of that person. A person is a duly authorized representative only if
 - (1) The authorization is made in writing by a person described in paragraph (a), and
 - 12) The authorization specifies either an individual or a position responsible for the overall operation of the facility, from which the discharge originates, such as a plant manager, superintendent or person of equivalent responsibility, and
 - (3) The written authorization is submitted to the Agency

(c) Changes of Authorization. If an authorization under (b) is no longer accurate because a different individual or poetion has responsibility for the overall operation of the facility, a new authorization selection; in requirements of (b) must be submitted to the Agency prior to or together with any reports, information, or applications to be signed by an authorized representative.

(12) Reporting requirements

- (a) Ptenned Changes The permittee shall give notice to the Agency as soon as possible of any planned physical alterations or additions to the permitted facebra.
- Anticipated nenoempliance. The permittee shall give advance notice to the Agency of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
- (c) Compliance schedules. Reports of compliance or noncompliance with, or any progress reports on, inserin and final requirements contained in any compliance schedule of this permit shall be submitted no leter than 1.4 days following each schedule date.
- (d) Menitoring reports. Monitoring results shall be reported at the intervals assocified alsowhere in this permit.
 - Monitoring results must be reported on a Discharge Monitoring Report (DMR)
 - (2) If the permittee mointors any pollutant more frequently than required by the permit, using test procedures approved under 40 CFR 138 or as specified in the permit, the results of this mointoring shall be included in the calculation and reporting of the data submitted in the DMR.
 - (3) Calculations for all limitations which require averaging of measurements shall utilize an arithmetic mean unless otherwise specified by the Agency in the permit.
- Inventy-four heur reperting. The permittee shall report any noncompliance which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall ease be provided within 5 days of the time the permittee becomes aware of the circumstances. The written submissions shall contain a description of the noncompliance and its cause, the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time in a sepsetted to combine, and steps taken or planned to reduce eliminate, and prevent reoccurrence of the noncompliance. The following shall be included as information which must be reported within 24 hours.
 - Any unanticipated bypass which exceeds any effluent limitation in the permit
 - (2) Violation of a maximum delty discharge limitation for any of the pollutants letted by the Agency in the permit to be reported within 2.5 mm.

The Agency may wave the written report on a case-by-case basis if the oral report has been received within 24 hours.

- II) Other noncompliance. The permittee shall report all instances of noncompliance not reported under paragraphs 112(i), (d), or let at the time monitoring reports are submitted. The reports shall contain the enformation letted in paragraph (12)(a).
- (g) Other information. Where the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application, or in any report to the Agency, it shall promptly submit such facts or information.
- (13) Transfer of permits. A permit may be automatically transferred to a new permittee if
 - (a) The current permittee notifies the Agency at least 30 days in advance of the proposed transfer date.
 - D) The notice includes a written agreement between the existing and new permittees containing a specific date for transfer of permit responsibility coverage and liability between the current and new permittees, and
 - (c) The Agency does not notify the existing permittee and the proposed new permittee of its when to modify or revoke and reissue the permit if this notice is not received, the transfer is effective on the date specified in the agreement.
- (14) All manufacturing commercial mining and silvicultural dischargers must notify the Agency as soon as they know or have reason to believe.
 - (a) That any activity has occurred or will occur which would result in the discharge of any toxic pollutant identified under Section 307 of the Clean Water Act which is not limited in the permit of that discharge will exceed the indirect of the following notification levers.
 - 111 One hundred micrograms per liter (100 ug li

- (2) Two nundres micrograms per liter (200 ug/8 for scrotein and acrytonistis, five hundred micrograms per liter (500 ug/8 for 2.4diversibles) and for 2-methyl-4,6-dishtrophenol, and one milligram per liter (1 mg.8 for antenony.
- Five (5) times the meximum concentration value reported for that pollutant in the NPDES permit application, or
- (4) The level established by the Agency in this permit.
- b) That they have begun or expect to begin to use or manufacture as an intermediate or final product or byproduct any toxic podutant which was not reported in the NPDES permit application.
- (15) All Publicly Owned Treatment Works (POTWs) must provide adequate notice to the Agency of the following.
 - (a) Any new introduction of pollutants into that POTW from an indirect decharger which would be subject to Sections 301 or 306 of the Clean Water Act if it were directly decharging those pollutants; and
 - (b) Any substantial change in the volume or character of pollutants being introduced into that POTM by a source introducing pollutants into the POTM at the time of leasance of the permit.
 - (c) For purposes of this paragraph, adequate notice shall include information on (ii) the quality and quantity of effluent introduced into the POTW, and (iii) any anticipated impact of the change on the quantity or quality of effluent to be discharged from the POTW.
- (16) If the permit is issued to a publicity owned or publicity regulated treatment works, the permittee shall require any endustrial user of such treatment works to comply with federal requirements concerning:
 - User charges pursuent to Section 204(b) of the Clean Water Act, and applicable regulations appearing in 40 CFR 35.
 - (2) You're pollutent effluent standards and pretreatment standards pursuant to Section 307 of the Clean Weter Act; and
 - (3) Inspection, monitoring and entry pursuant to Section 308 of the Claim Water Act.
- (17) If an applicable standard or limitation is promulgated under Section 301 bl(2)(C) and (D), 304 bl(2), or 307 bl(2) and that effluent standard or limitation is more stringent than any effluent limitation in the permit, or controls a pollutant not limited in the permit, the permit shall be promptly modified or revoked, and reseased to conform to that effluent standard or limitation.
- (18) Any authorization to construct issued to the permittee pursuant to 35 III. Adm. Code 309 154 is hereby incorporated by reference as a condition of this permit.
- (19) The permittee shall not make any false statement, representation or certification in any application, record, report, plan or other document submitted to the Agency or the USEPA, or required to be maintained under this permit.
- (20) The Clean Water Act provides that any person who violates a permit condition implementing Sections 301, 302, 306, 307, 308, 318, or 405 of the Clean Water Act is subject to a civil penalty not to exceed \$10,000 per day of such violation. Any person who willfully or negligently violates permit conditions implementing Sections 301, 302, 308, 307, or 308 of the Clean Water Act is subject to a fine of not less than \$2,500, nor more than \$25,000 per day of violation, or by impresonment for not more than one year, or both.
- (21) The Clean Water Act provides that any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be meintained under permit shall, upon conviction, be punished by a fine of not more than \$10,000 per violation, or by imprisonment for not more than 6 months per violation, or by both.
- 122) The Clean Water Act provides that any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be imaintained under this permit shell, including monitoring reports or reports of compliance or non-compliance shell, upon conviction, be purished by a fire of not more than \$10,000 per widebon, or by imprisonment for not more than 6 months per violation, or by both.
- (23) Collected screening, slurries, sludges, and other solids shall be disposed of in such a manner as to prevent entry of those wastes for runoff from the wastesl into waters of the State. The proper authorization for such disposal shall be obtained from the Agency and is incorporated as part hereof by reference.
- (24) In case of conflict between these standard conditions and any other conditionfal included in this permit, the other condition(s) shall govern.
- (25) The permittee shall comply with, in addition to the requirements of the permit, all applicable provisions of 35 III Adm. Code. Subtitle C, Subtitle D, Subtitle E, and all applicable orders of the Board.
- 1261 The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit is held invalid, the remaining provisions of this permit shall continue in full force and effect.

NPDES Permit No. IL0038016 Notice No. jab/sp2638j Date: September 30, 1988

National Pollutant Discharge Elimination System (NPDES) Permit Program

PUBLIC NOTICE/FACT SHEET

Proposed Reissued NPDES Permit to Discharge into Waters of the State

Public Notice/Fact Sheet Issued By:

Illinois EPA
Division of Water Pollution Control
Permit Section
2200 Churchill Road
P.O. Box 19276
Springfield, Illinois 62794-9276
217/782-0610

Name and Address of Discharger:

Name and Address of Facility:

Arrow Gear Company 2301 Curtiss Street Downers Grove, Illinois 60515 Arrow Gear Company 2301 Curtiss Street Downers Grove, Illinois 60515 (DuPage County)

The Illinois Environmental Protection Agency (IEPA) has made a tentative determination to issue an NPDES permit to discharge into the waters of the state and has prepared a draft permit for the above named discharger.

Length of Permit: Name of Receiving Waters: Approximately 5 Years
St. Joseph Creek Tributary to the East
Branch of the DuPage River
General Use

Classification of Receiving Waters:

The following water quality and effluent standards and limitations were applied to the discharge:

Except as otherwise noted the effluent concentrations and load limitations were based on effluent and, if applicable, water quality limitations specified in Illinois Pollution Control Board (IPCB), Rules and Regulations, Subtitle C: Water Pollution.

The facility manufactures gears, shafts, and couplings for commercial, aircraft and government industries (SIC 3566). Plant operation results in an average discharge of .013 HGD of non-contact cooling water from outfall 001.

Flow will be monitored. The primary parameters to be monitored and limited are pH and temperature.

Application is made for the existing discharge which is located in DuPage County, Illinois.

Monitoring frequencies and reporting requirements were established by using the authority set forth in IPCB. Subtitle C: Water Pollution and/or using the authority provided in Section 402(a)(1) of the Clean Water Act.

The effluent limitations and special conditions, if applicable, are appended as a part of the draft permit.

Interested persons are invited to submit written comments on the draft permit to the IEPA at the above address. The NPDES permit and notice number(s) must appear on each comment page. Any interested person may submit a written request for a public hearing on the draft permit, stating his or her name and address, the nature of the issues proposed to be raised and the evidence proposed to be presented with regards to those issues.

The application, engineer's review notes including load limit calculations, Public Notice/Fact Sheet, draft permit, comments received, and other documents are available for inspection and may be copied at the IEPA between 9:30 a.m. and 3:30 p.m. Monday through Friday.

All comments on the draft permit and requests for hearing must be received by the IEPA not later than 30 days from the date of this publication. If written comments or requests indicate a significant degree of public interest in the draft permit, the permitting authority may, at its discretion, hold a public hearing. Public notice will be given 30 days before any public hearing. For further information call the Public Notice Clerk at 217/782-0610.

Pursuant to the waiver provisions authorized by 40 CFR 123.24, this proposed permit is within the class, type, and size for which the Regional Administrator, Region V, has waived his right to review, object, or comment on this proposed permit action.

Posto, 1986 Oct. 1, 1986 Porto, 3, 1985